



PHPUnit for Shopware Developers

Sebastian Bergmann

- **Sebastian** since 1978
- **Computers** since 1990
- **PHP** since 1998
- **Open Source** since 1998
- **PHPUnit** since 2000
- **thePHP.cc** since 2009



sharing experience

thePHP.cc



Commodore
A1200


Esc F1 F2 F3 F4 F5 F6 F7 F8

~ ! " § \$ % & / () =
' 1 2 e 3 4 . 5 6 7 8 9 0

↑ T Q W E R T Z U I O P
↓

Ctrl A S D F G H J K L C

Caps Lock



Feedback Loop

PHP



Commodore
A1200

Esc F1 F2 F3 F4 F5 F6 F7 F8

~ ! " § \$ % & / () =
' 1 2 e 3 4 . 5 6 7 8 9 0

↑ T Q W E R T Z U I O P
↓

Ctrl A S D F G H J K L C

Caps Lock

Esc

F1

F2

F3

F4

F5

F6

F7

F8

~

'

!

1

"

2 @

§

3

\$

4 .

%

5

&

6

/

7

(

8

)

9

=

0

↑

↓

Q

W

E

R

T

Z

U

I

O

P

Ctrl

Caps Lock

A

S

D

F

G

H

J

K

L

M

```
vim -p public/index.php 132x59

<?php declare(strict_types=1);

use Shopware\Core\DevOps\Environment\EnvironmentHelper;
use Shopware\Core\Framework\Plugin\KernelPluginLoader\ComposerPluginLoader;
use Shopware\Core\Installer\InstallerKernel;
use Shopware\Core\Framework\Adapter\Kernel\KernelFactory;
use Symfony\Component\HttpFoundation\Response;

$_SERVER['SCRIPT_FILENAME'] = __FILE__;

require_once __DIR__ . '/../vendor/autoload_runtime.php';

if (!file_exists(__DIR__ . '/../.env') && !file_exists(__DIR__ . '/../.env.dist') && !file_exists(__DIR__ . '/../.env.local.php')) {
    $_SERVER['APP_RUNTIME_OPTIONS']['disable_dotenv'] = true;
}

return function (array $context) {
    $classLoader = require __DIR__ . '/../vendor/autoload.php';

    if (!EnvironmentHelper::getVariable('SHOPWARE_SKIP_WEBINSTALLER', false) && !file_exists(dirname(__DIR__) . '/install.lock')) {
        $baseUrl = str_replace(basename(__FILE__), '', $_SERVER['SCRIPT_NAME']);
        $baseUrl = rtrim($baseUrl, '/');

        if (strpos($_SERVER['REQUEST_URI'], '/installer') === false) {
            header('Location: ' . $baseUrl . '/installer');
            exit;
        }
    }

    $appEnv = $context['APP_ENV'] ?? 'dev';
    $debug = (bool) ($context['APP_DEBUG'] ?? ($appEnv !== 'prod'));

    if (!EnvironmentHelper::getVariable('SHOPWARE_SKIP_WEBINSTALLER', false) && !file_exists(dirname(__DIR__) . '/install.lock')) {
        return new InstallerKernel($appEnv, $debug);
    }

    $pluginLoader = null;


    if (EnvironmentHelper::getVariable('COMPOSER_PLUGIN_LOADER', false)) {
        $pluginLoader = new ComposerPluginLoader($classLoader, null);
    }

    return KernelFactory::create(
        environment: $appEnv,
        debug: $debug,
        classLoader: $classLoader,
        pluginLoader: $pluginLoader
    );
};

~
~
~
~
~
~
~
~
```


-1

All




Feedback Loop

This is not the




Feedback Loop


you want.



We need a different



Feedback Loop



F3

F4

F5

F6

F7

F8

F9

```
<?php declare(strict_types=1);  
use PHPUnit\Framework\TestCase;  
  
final class EmailTest extends TestCase  
{  
  
}  
}
```

```
<?php declare(strict_types=1);
use PHPUnit\Framework\TestCase;

final class EmailTest extends TestCase
{
    public function testCanBeCreatedFromValidEmail(): void
    {

    }
}
```

```
<?php declare(strict_types=1);
use PHPUnit\Framework\TestCase;

final class EmailTest extends TestCase
{
    public function testCanBeCreatedFromValidEmail(): void
    {
        $string = 'user@example.com';

        $email = Email::fromString($string);

    }
}
```

```
<?php declare(strict_types=1);
use PHPUnit\Framework\TestCase;

final class EmailTest extends TestCase
{
    public function testCanBeCreatedFromValidEmail(): void
    {
        $string = 'user@example.com';

        $email = Email::fromString($string);

        $this->assertSame($string, $email->asString());
    }
}
```

```
<?php declare(strict_types=1);
use PHPUnit\Framework\TestCase;

final class EmailTest extends TestCase
{
    public function testCanBeCreatedFromValidEmail(): void
    {
        $string = 'user@example.com';

        $email = Email::fromString($string);

        $this->assertSame($string, $email->asString());
    }

    public function testCannotBeCreatedFromInvalidEmail(): void
    {
        $this->expectException(InvalidArgumentException::class);

        Email::fromString('invalid');
    }
}
```

```
> ./vendor/bin/phpunit --testdox --colors --no-progress  
PHPUnit 11.1.3 by Sebastian Bergmann and contributors.
```


Runtime: PHP 8.3.7

Configuration: /tmp/example/phpunit.xml


Time: 00:00.002, Memory: 8.00 MB

Email

- ✓ Can be created from valid email
- ✓ Cannot be created from invalid email




Feedback Loop



Verification through execution




Executable documentation



Executable specification

„The primary task of a developer is not the writing of code but to understand a problem. The writing of tests helps to understand a problem step by step. The tests do not drive the development as an end in itself. They drive the development to trigger the required thought processes.“

<https://thephp.cc/articles/testing-keeps-me-from-getting-things-done>



Feedback Loop

```
> ./vendor/bin/phpunit --filter testCheapestPriceSorting --testdox --colors --no-progress
PHPUnit 10.5.20 by Sebastian Bergmann and contributors.
```

Runtime: PHP 8.3.7

Configuration: /tmp/shopware/phpunit.xml.dist

Random Seed: 1714654051


Time: 00:01.990, Memory: 128.50 MB


Criteria Parser (Shopware\Tests\Unit\Elasticsearch\Framework\DataAbstractionLayer\CriteriaParser)


- ✓ Cheapest price sorting with different·currency·cheapest·price/list·price·percentage
- ✓ Cheapest price sorting with default·cheapest·price:·rounding·with·3·decimals
- ✓ Cheapest price sorting with default·cheapest·price
- ✓ Cheapest price sorting with default·cheapest·price:·net·rounding·disabled
- ✓ Cheapest price sorting with different·currency·cheapest·price
- ✓ Cheapest price sorting with default·cheapest·price/list·price·percentage
- ✓ Cheapest price sorting source exists with default·cheapest·price:·rounding·with·3·decimals
- ✓ Cheapest price sorting source exists with default·cheapest·price:·net·rounding·disabled
- ✓ Cheapest price sorting source exists with different·currency·cheapest·price/list·price·percentage
- ✓ Cheapest price sorting source exists with default·cheapest·price
- ✓ Cheapest price sorting source exists with default·cheapest·price/list·price·percentage
- ✓ Cheapest price sorting source exists with different·currency·cheapest·price

I I ↔ □

□ ↔ : ...









Tester's Corner

Monthly. Interactive. All things testing.





Tester's Corner

June 6, 2024: "Testen von Zufall und Zeit"



Thank you!



<https://thePHP.cc/>



sebastian@thephp.cc



@sebastian@phpc.social

Image Credits

- <https://commons.wikimedia.org/w/index.php?curid=11672874>